



FortiGate® 3700DX
High Performance Data Center Firewall



FortiGate 3700DX

High Performance Data Center Firewall

The FortiGate 3700DX high performance, high capacity data center firewall provides exceptional security performance. It is also equipped with additional hardware acceleration for handling unique service provider traffic such as GRE tunneling.

Eliminate Security Bottlenecks

It delivers protection in a compact 3U form factor with high port density that preserves scarce rack space while maximizing capacity. Powered by FortiASICs, the FortiGate 3700DX delivers performance parity for both IPv4 and IPv6 traffic and dramatically increases security performance, enabling you to keep pace with your evolving network.

Flexible Deployment

The FortiGate 3700DX gives you the flexibility to choose the firewall personality that best fits your requirements at the Edge or Core. You can take advantage of the high port density for physical segmentation of your network, as well as the virtual domains (VDOMs) for virtual segmentation.

Key Features & Benefits

High Performance Security,
Powered by FortiASIC NP6 and XP1

Eliminates performance bottlenecks with high performance, compact data center firewall.

4x 40 GE and 28x 10 GE Ports

High speed, high density ports enable physical or virtual segmentation based on architecture, services, function or policies.

Single Pane of Glass Management


Reduces management complexity with consolidated view of all security functions.

Performance and Reliability for Service Provider Networks

- Breakthrough IPv4 to IPv6 firewall performance parity
- Specialized hardware acceleration for GRE traffic
- Compact 3U footprint conserves rack space and minimizes energy consumption
- Freedom to add integrated security technologies (such as IPS, App Control, VPN)
- Cloud-ready multi-tenant support and APIs for rapid orchestration
- FortiOS 5 delivers the most complete, battle-tested set of security functions to protect your network and data



HARDWARE



Interfaces

1. USB Management Port

2. USB Port

3. Console Port

4. 2x GE RJ45 Management Ports

5. 4x 40 GE QSFP Slots

6. 20x 10 GE SFP+ / GE SFP Slots

7. 8x 10 GE SFP+ Slots (Ultra-low latency)



Powered by FortiASICs

- Custom FortiASIC™ processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- FortiASIC processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough FortiASIC NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

The FortiASIC CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading



Extended Processor

Additional hardware acceleration component that provides traffic handling boost for GRE traffic.

DEPLOYMENT

Next Generation Perimeter Security

Firewalls alone aren't enough to block today's blended threats and attacks. Data centers require multi-layered security technologies that examine entire packet flows, from content inspection through reassembly, stopping threats at the perimeter. The FortiGate 3700DX offers these critical functionality without compromising performance and scalability.




Data Center Core Security


Today's high-speed data centers require not only perimeter security but also network protection between various network segments at the core. The FortiGate 3700DX meets the requirement as a security gateway with superior next generation firewall performance and features. High density 10G interfaces allow connectivity between the segments without the need of bridging devices.

MSSP Solution

The FortiGate 3700DX delivers comprehensive security for Managed Security Service Providers (MSSPs). The full suite of Fortinet integrated management applications — including granular reporting features — offer unprecedented visibility into the security posture of customers while identifying their highest risks.



SOFTWARE FEATURES



FortiOS Dashboard — Single Pane of Glass Management

Unique Visibility and Control

FortiOS allows greater traffic visibility and more consistent, granular control over users, devices, applications and sensitive data. Dashboard widgets allow you to quickly view and understand real-time network activities and threat situations.

Ease of Use

FortiOS lowers operational costs and reduces IT staff workload. Single pane of glass management and centralized analysis ensure consistent policy creation and enforcement while minimizing deployment and configuration challenges.

Comprehensive Systems Integration

Integration with external systems are possible with wide range of interfacing protocols support and certified solution partners. You can rely on facilities such as SNMP, sFlow and syslog for monitoring purposes. Integration with provisioning systems and custom portals is possible with Web Service APIs via FortiManager. Scripting using various scripting languages is supported by manipulating CLI commands.

Proven with Industry Validation

FortiGate holds more industry certifications than competitive products, assuring feature quality and providing you best-of-breed protection.

Robust Virtual Systems

FortiOS Virtual Domains (VDOMs) is proven method of dividing a FortiGate unit/cluster into two or more virtual units that function as independent units. It has the industry's most comprehensive virtualization capabilities to meet today's complex MSSP deployments.

Identity-Centric Enforcement

FortiOS supports both local and remote authentication services such as LDAP, RADIUS and TACACS+ to identify users and apply appropriate access policies and security profiles accordingly. It can simplify identity based implementations and provide a seamless user authorization experience with single sign-on capabilities. FortiOS has strong PKI and certificate-based authentication services while also integrating an internal two-factor authentication server for additional security.

SOFTWARE FEATURES

Extensive Network Support

FortiOS meets numerous network design requirements. A wealth of routing, multicasting and network resiliency protocols are supported for interoperating with other networking devices.

Superior IPS capabilities

Over 4000 IPS signatures enables you to stop attacks that evade more conventional firewalls. Behavior-based heuristics recognize zero day threats for which no signature has been created.

Application Control

Advanced application control lets you define and enforce policies for thousands of applications running across networks regardless of port or the protocol used for communication.

Powerful Policy Management

Two types of policy management views — global and section view — are available to suit your preferences. Policy objects can be easily edited from the policy table. Available management features include policy object search, tagging, sorting and filtering.

With FortiManager integration, you have the ability to set up sophisticated policy implementation and provisioning workflows to meet compliance or operational requirements. FortiAnalyzer enables complete and accurate configuration audit trails to reside externally for secured storage.

Flexible Role-based Administration

Access profiles can be defined to provide granular access to VDOMs and system functionalities. This is valuable in facilitating compliant enterprise-class security operation workflows.

Beyond Next Generation Firewall Capabilities

FortiOS supports various value-adding components to the network that is unique in the market. This includes in-box token server, wireless controller and vulnerability scanner. These features simplify network design and deployment while also providing more secure implementations without incurring additional cost.

Broad IPv6 Support

Maintaining security for both IPv4 and IPv6 traffic will be crucial to the success of mixed networks. Malware and network threats are independent of IPv4 or IPv6. FortiOS is able to use IPv6 security policies to provide access control and UTM protection for IPv6 traffic. FortiOS has been successfully evaluated as compliant with core protocol and interoperability tests defined by IPv6 Ready Logo Phase 2.

World-Class Technical Support and Documentation

Fortinet FortiCare support offerings provide comprehensive global support for all Fortinet products and services. You can rest assured your Fortinet security products are performing optimally and protecting your users, applications, and data around the clock.

More Features with FortiCarrier Software License

- SIP/IMS signaling firewall protects internal infrastructure and service against malicious messages and overload while providing NAT services and redundancy, providing VoIP edge scalability and a platform for managed security services
- MMS security — content scanning and protection (keyword blocking, antivirus, file-type blocking, antispam detection) with per-user services provide enhanced end-user security for increased uptime and higher customer satisfaction
- GTP firewall delivers protocol anomaly detection and prevention with multiple filter options for end-to-end security

*For complete, up-to-date & detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet

SPECIFICATIONS

FORTIGATE 3700DX	
Interfaces and Modules	
40 GE QSFP Slots	4
10 GE SFP+ / GE SFP Slots	20
10 GE SFP+ Slots (Ultra-low Latency)	8
GE RJ45 Management Ports	2
USB Ports (Client / Server)	1 / 1
Console Port	1
Internal Storage	960 GB
Included Transceivers	2x SFP+ (SR 10GE)
System Performance and Capacity	
Firewall Throughput (1518 / 512 / 64 byte, UDP)	160 / 160 / 110 Gbps
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	160 / 160 / 110 Gbps
Firewall Latency (64 byte, UDP)	2 µs
Firewall Throughput (Packet per Second)	165 Mpps
Concurrent Sessions (TCP)	50 Million
New Sessions/Sec (TCP)	400,000
Firewall Policies	100,000
GRE Throughput (512 Byte, UDP)	37 Gbps
IPsec VPN Throughput (512 byte)	100 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	40,000
Client-to-Gateway IPsec VPN Tunnels	64,000
SSL-VPN Throughput	10 Gbps
Concurrent SSL-VPN Users (Recommended Maximum)	30,000
IPS Throughput	23 Gbps
Antivirus Throughput (Proxy Based / Flow Based)	7.5 / 18 Gbps
CAPWAP Clear-text Throughput (HTTP)	12.30 Gbps
Virtual Domains (Default / Maximum)	10 / 500
Maximum Number of FortiAPs (Total / Tunnel Mode)	4,096 / 1,024
Maximum Number of FortiTokens	5,000
Maximum Number of Registered FortiClients	20,000
High Availability Configurations	Active / Active, Active / Passive, Clustering

FORTIGATE 3700DX	
Dimensions and Power	
Height x Width x Length (inches)	5.25 x 17.2 x 22.8
Height x Width x Length (mm)	133 x 437 x 579
Weight	46.9 lbs (21.3 kg)
Form Factor	3 RU
AC Power Supply	100–240V AC, 50–60 Hz
DC Power Supply (FG-3700D-DC)	48–72V DC
Power Consumption (Average / Maximum)	725 / 870 W
Heat Dissipation	2,970 BTU/h
Redundant Power Supplies	Yes, Hot Swappable
Operating Environment and Certifications	
Operating Temperature	32–104°F (0–40°C)
Storage Temperature	-31–158°F (-35–70°C)
Humidity	20–90% non-condensing
Operating Altitude	Up to 7,400 ft (2,250 m)
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN

Note: All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 44 Kbyte HTTP files. IPS performance is measured using 1 Mbyte HTTP files. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

ORDER INFORMATION

Product	SKU	Description
FortiGate 3700DX	FG-3700DX	4x 40 GE QSFP+ slots, 28x 10 GE SFP+ slots, 2x GE RJ45 Management, 960 GB onboard storage, dual AC power supplies. Includes hardware acceleration for GRE traffic.
FortiCarrier Upgrade	FCR-EUPG	Electronic FortiCarrier Upgrade License Certificate for supported FortiGate models.
Optional Accessories		
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
40 GE QSFP+ Transceivers, Short Range	FG-TRAN-QSFP+SR	40 GE QSFP+ transceivers, short range for all systems with QSFP+ slots.
40 GE QSFP+ Transceivers, Long Range	FG-TRAN-QSFP+LR	40 GE QSFP+ transceivers, long range for all systems with QSFP+ slots.
AC Power Supply	SP-FG3700D-PS	AC power supply for FG-3700D.
DC Power Supply	SP-FG3700D-DC-PS	DC power supply for FG-3700D.



GLOBAL HEADQUARTERS
Fortinet Inc.
899 Kifer Road
Sunnyvale, CA 94086
United States
Tel: +1.408.235.7700
www.fortinet.com/sales

EMEA SALES OFFICE
120 rue Albert Caquot
06560, Sophia Antipolis,
France
Tel: +33.4.8987.0510

APAC SALES OFFICE
300 Beach Road 20-01
The Concourse
Singapore 199555
Tel: +65.6513.3730

LATIN AMERICA SALES OFFICE
Prol. Paseo de la Reforma 115 Int. 702
Col. Lomas de Santa Fe,
C.P. 01219
Del. Alvaro Obregón
México D.F.
Tel: 011-52-(55) 5524-8480