

| | FG/FWF-20C Series | FG/FWF-30D/40C Series | FG/FWF-60C Series | FG/FWF-60D Series | FGR-60D | FG-70D | FG/FWF-80C Series | FG-80D | FG/FWF-90D Series | FG/FWF-92D Series | FG-110C FG-111C | FG-100D Series | FG-200B Series | FG-200D Series | FG-310B FG-311B |
|---|-------------------|-----------------------|-------------------|-------------------|---------|--------|-------------------|--------|-------------------|-------------------|-----------------|----------------|----------------|----------------|-----------------|
| Systems | | | | | | | | | | | | | | | |
| VDOM Support | | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| High Availability (HA) | | CLI | • | • | • | • | • | • | • | • | • | • | • | • | • |
| FortiCarrier License Upgrade | | | | | | | | | | | | | | | |
| Networking | | | | | | | | | | | | | | | |
| Link Aggregation/Redundant Ports for HA | | | | | | | | | | | | • | • | • | • |
| VLAN | CLI | CLI | • | • | • | • | • | • | • | • | • | • | • | • | • |
| VLAN Switch Mode | | | | | | | | | | | | • | • | • | • |
| DNS Server | | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| WAN Optimization, Web Caching | | | CLI | CLI | | | #, CLI | • | • | • | FG-111C | • or CLI | #, CLI | • | # |
| Explicit Proxy | | CLI | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Dynamic Routing/ Policy Routing | | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Switch Controller | | | | • | | | | | & | | | • | • | • | • |
| Wireless Controller | | CLI | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Firewall | | | | | | | | | | | | | | | |
| Traffic Shaping | | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Server Load Balancing | | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| SSL Content Inspection | CLI | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| SSL Offloading | | | | | | | • | • | | | • | • | • | • | • |
| SSH Proxy | | | | | | | | | | | | • | • | • | • |
| User/Device based Policies | CLI | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| FSSO/ Remote Authentication Services | | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| UTM | | | | | | | | | | | | | | | |
| AV Quarantine | | | CLI | CLI | CLI | CLI | | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI |
| IPS Extended DB | | FG/FWF-30D | | • | • | • | | • | • | • | • | • | • | • | • |
| DoS Protection | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | • | • | • | • | • |
| DLP Fingerprinting | | | • | • | | | | • | • | • | FG-111C | • | # | • | # |
| Vulnerability Scan | | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Endpoint Control | | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| VPN | | | | | | | | | | | | | | | |
| L2TP client | CLI | CLI | CLI | • | CLI | CLI | CLI | CLI | CLI | CLI | | | | | |
| SSL VPN | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| ARIA-SEED IPsec support | | | | | | | • | • | | • | • | • | • | • | • |
| Log & Reporting | | | | | | | | | | | | | | | |
| Memory Logging | CLI | CLI | CLI | CLI | | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI |
| Disk Logging | | | | | | | | • | • | • | FG-111C, CLI | • or Nil | # | • | • |
| Local Reporting | | | | | | | | • | • | • | FG-111C | • | # | • | # |
| FortiView Historical Data | | | | | | | | 1 hour | 1 hour | 1 hour | FG-111C: 1hr | 24 hours | # (24 hours) | 24 hours | # (24 hours) |

Requires local storage
& Excluding FG-94D/98D-POE

| | FG-300C | FG-300D | FG-500D | FG-620B FG-621B | FG-600C FG-800C | FG1000C | FG1000D | FG1200D | FG1500D | FG1240B | FG-3016B | FG-3040B FG-3140B | FG-3240C | FG-3600C | FG-3700D |
|---|----------|----------|----------|--------------------|--------------------|----------|----------|----------|----------|----------|--------------|----------------------|----------|----------|----------|
| Systems | | | | | | | | | | | | | | | |
| VDOM Support | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| High Availability (HA) | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| FortiCarrier License Upgrade | | | | | | | | | | | | | • | • | • |
| Networking | | | | | | | | | | | | | | | |
| Link Aggregation/Redundant Ports for HA | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| VLAN | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| VLAN Switch Mode | | | | | | | | | | | | | | | |
| DNS Server | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| WAN Optimization, Web Caching | • or CLI | CLI | CLI | # | CLI | CLI | CLI | CLI | • | CLI | # | CLI | CLI | • | • |
| Explicit Proxy | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Dynamic Routing/ Policy Routing | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Switch Controller | | | | | CLI | CLI | | | | | | | | | |
| Wireless Controller | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Firewall | | | | | | | | | | | | | | | |
| Traffic Shaping | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Server Load Balancing | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| SSL Content Inspection | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| SSL Offloading | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| SSH Proxy | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| User/Device based Policies | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| FSSO/ Remote Authentication Services | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| UTM | | | | | | | | | | | | | | | |
| AV Quarantine | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | #, CLI |
| IPS Extended DB | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| DoS Protection | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| DLP Fingerprinting | • | • | • | # | • | • | • | • | • | • | # | • | • | • | • |
| Vulnerability Scan | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Endpoint Control | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| VPN | | | | | | | | | | | | | | | |
| L2TP client | | | | | | | | | | | | | | | |
| SSL VPN | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| ARIA-SEED IPsec support | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Log & Reporting | | | | | | | | | | | | | | | |
| Memory Logging | CLI | CLI | CLI | CLI | CLI | • | • | • | • | • | • | • | • | • | • |
| Disk Logging | • or Nil | • | • | # | • | • | • | • | • | • | # | • | • | • | • |
| Local Reporting | • or Nil | • | • | # | • | • | • | • | • | • | # | • | • | • | • |
| FortiView Historical Data | 24 hours | 24 Hours | 24 hours | # (24 hours) | 24 hours | 24 hours | 24 hours | 24 hours | 24 hours | 24 hours | # (24 hours) | 24 hours | 24 hours | 24 hours | 24 hours |

| | FG-3810A | FG-3950B FG-3951B | FG-5001A | FG-5001B | FG-5001C | FG-5001D | FG-5101C | FS-5203B | FG-VM00 | FG-VM01 | FG-VM02 | FG-VM04 | FG-VM08 | |
|---|--------------|----------------------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--|
| Systems | | | | | | | | | | | | | | |
| VDOM Support | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| High Availability (HA) | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| FortiCarrier License Upgrade | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| Networking | | | | | | | | | | | | | | |
| Link Aggregation/Redundant Ports for HA | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| VLAN | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| VLAN Switch Mode | | | | | | | | | | | | | | |
| DNS Server | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| WAN Optimization, Web Caching | # | # | # | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | |
| Explicit Proxy | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| Dynamic Routing/ Policy Routing | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| Switch Controller | | | | | | | | | | | | | | |
| Wireless Controller | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| Firewall | | | | | | | | | | | | | | |
| Traffic Shaping | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| Server Load Balancing | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| SSL Content Inspection | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| SSL Offloading | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| SSH Proxy | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| User/Device based Policies | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| FSSO/ Remote Authentication Services | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| UTM | | | | | | | | | | | | | | |
| AV Quarantine | #, CLI | #, CLI | #, CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | CLI | |
| IPS Extended DB | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| DoS Protection | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| DLP Fingerprinting | # | # | # | • | • | • | • | • | • | • | • | • | • | |
| Vulnerability Scan | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| Endpoint Control | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| VPN | | | | | | | | | | | | | | |
| L2TP client | | | | | | | | | | | | | | |
| SSL VPN | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| ARIA-SEED IPsec support | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| Log & Reporting | | | | | | | | | | | | | | |
| Memory Logging | • | • | • | • | • | • | • | • | CLI | CLI | CLI | CLI | CLI | |
| Disk Logging | • | #, • | #, • | • | • | • | • | • | • | • | • | • | • | |
| Local Reporting | # | # | # | • | • | • | • | • | • | • | • | • | • | |
| FortiView Historical Data | # (24 hours) | # (24 hours) | # (24 hours) | 24 hours | 24 hours | 24 hours | 24 hours | 24 hours | 24 hours | 24 hours | 24 hours | 24 hours | 24 hours | |